

Product description

Heat resistant Fixed castor with an overall height of 106 mm.

Wheel diameter x width: 80 x 35 mm.

Top plate with 4 mounting holes of 9 mm, mounting hole distance 80 x 60 mm and top plate outer dimensions: 105 x 85 mm.

Wheel with plain bearing and solid heat resistant polyamide wheel with hardness 85±5 ° Shore D.

Approved and tested load capacity:

Dynamic: 150 kg

Static: 180 kg

Temperature range:

Continuous operation: -25 | +250°C

Short (10 min) exposure: -40 | +300°C

Advantages of rotation of Fixed wheels at higher temperatures:

- ✓ to 300°C
- ✓ for bakeries
- ✓ material endurance

LIV SYSTEMS heat resistant Fixed castor + solid heat resistant polyamide wheel Ø80 x W35mm for 150kg Prod ID: 44916

ID 44916: Castor overall height 106 mm | 4 mounting holes with distance 80x60 mm | Wheel with plain bearing and solid heat resistant polyamide wheel with hardness 85±5 ° Shore D | Roll into hot destination, up to 300°C, ideal for bakeries, high material

Product information

- Article code 2-428-16D
- SKU 44916
- EAN 3838461449161

Specifications

The result of our quality is maximum performance!

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

<https://liv.nt-rt.ru/> || vis@nt-rt.ru



Product description

Heat resistant Wheel with plain bearing and solid heat resistant polyamide wheel with hardness 85 ± 5 ° Shore D.

Wheel diameter x width: 80 x 35 mm

Axle hole: 12 mm

Hub length: 45 mm

Approved and tested load capacity:

Dynamic: 150 kg

Static: 180 kg

Temperature range:

Continuous operation: -25 | $+250^{\circ}\text{C}$

Short (10 min) exposure: -40 | $+300^{\circ}\text{C}$

Advantages of rotation of heat resistant wheel at higher temperatures:

✓ to 300°C

✓ for bakeries

✓ material endurance

LIV SYSTEMS heat resistant wheel + solid heat resistant polyamide wheel Ø80 x W35mm for 150kg Prod ID: 44906


ID 44906: heat resistant Wheel with plain bearing and solid heat resistant polyamide wheel with hardness 85 ± 5 ° Shore D | Axle hole: 12 mm | Hub length: 45 mm | Roll into hot destination, up to 300°C , ideal for bakeries, high material endurance

Product information

- Article code 2-760 ISO
- SKU 44906
- EAN 3838461449062

Specifications

The result of our quality is maximum performance!



Product description

Heat resistant Swivel castor with an overall height of 106 mm.

Wheel diameter x width: 80 x 35 mm.

Top plate with 4 mounting holes of 9 mm, mounting hole distance 80 x 60 mm and top plate outer dimensions: 105 x 85 mm.

Wheel with plain bearing and solid heat resistant polyamide wheel with hardness 85±5 ° Shore D.

Approved and tested load capacity:

Dynamic: 150 kg

Static: 180 kg

Temperature range:

Continuous operation: -25 | +250°C

Short (10 min) exposure: -40 | +300°C

Advantages of rotation of Swivel castor at higher temperatures:

- ✓ to 300°C
- ✓ for bakeries
- ✓ material endurance

LIV SYSTEMS heat resistant Swivel castor + solid heat resistant polyamide wheel Ø80 x W35mm for 150kg Prod ID: 44911

ID 44911: Castor overall height 106 mm | 4 mounting holes with distance 80x60 mm | Wheel with plain bearing and solid heat resistant polyamide wheel with hardness 85±5 ° Shore D | Roll into hot destination, up to 300°C, ideal for bakeries, high material

Product information

- Article code 2-427-16D
- SKU 44911
- EAN 3838461449116

Specifications

The result of our quality is maximum performance!

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

<https://liv.nt-rt.ru/> || vis@nt-rt.ru